





CONTENTS

AWNINGS	
Bag Awning	10 – 11
PW – wall mounted	12 – 15
PR – roof mounted	16 – 19
Configuration guide – awning solutions for panel vans	20 - 27
SUN & RAIN PROTECT	28 – 29
CAMP ROOM / PRIVACY ROOM	30 – 32
ACCESSORIES	
LED profile	33
Additional products	34 – 35
VEHICLE ADAPTERS	36 – 41

THE PERFECT AWNING FOR EVERY DEMAND



Manual or with a motor

Dometic manual awnings are operated with a crank, which is included in the delivery kit. The motor-operated electric awnings come as standard with a remote control.



Remote control

All electric awnings come standard with a remote control for convenient operation at the touch of a button.



S-flow housing design

Dometic's design language: elegant appearance with clean lines and no visible screws (PW 1100)




Compact housing

The size of the awning depends on the vehicle length and weight is another factor that needs to be taken into account. The longer the awning is the heavier it will be, of course. The spectrum ranges from 7.3 kg for the smallest models to 58 kg for the big ones. That means Dometic awnings are still lighter and more compact than comparable products of our competitors.




Aluminium end caps

the end caps on the models PW 1500 and PR 2500 are made of 100 % aluminium. This means the Dometic awning is more resistant against shock and impact.



Patented easy lock

prevents the support legs from falling down during set-up and fastens them in place to keep the awning in the set height position



Awning adapters

Vehicle walls and roofs are, among other things, design elements. That means they can have different shapes. With a comprehensive range of adapters Dometic ensures that the vehicle and the awning are perfectly coordinated, so you will get impeccable installation results.



Accessories

Our accessory range gives you a whole world of possibilities. For example, you can add side walls for additional protection, or complete awning tents to get an extra room in front of your vehicle.



Patented slide-out-supports

For ergonomic setup in upright posture (PW 1100)



Patented tension rafter

On all PW 1100 awning models, the tension rafter can be stowed away in the front rail after use. This saves precious space in the vehicle, and it also helps avoid damage to the tension rafter.



Telescopic crank

The Telescopic crank is included for all manual awnings. It can be easily adjusted to the vehicle height for ergonomic handling, or retracted for space-saving storage.

AWNINGS



WHICH AWNING FITS YOUR VEHICLE?

4 easy steps to find your awning

Small or large caravan, motorhome or campervan – Dometic has a tailor-made awning solution for every demand. The following pages give a general overview of the available options. Our awning guidebook will then guide you, step by step, to the awning model which fits best. Your choice will depend on the construction of your vehicle and, of course, on how much comfort you want.

Here are the most important criteria to consider before you take your buying decision:

- 1. Find the correct vehicle specific adapter from the list on page 36 41
- 2. Choose your awning model that fits your adapter. Model variations explained on page 12 19
- 3. Ensure that you choose the correct awning length for your vehicle. Your awning length should be chosen to ensure that any accessories fitted such as a camproom do not hinder the use or openings of any doors, lockers and windows
- 4. Choose awning colour

CHOOSE AWNING COLOUR

Dometic wall and roof awnings are available in two housing colours: anthracite and white. Dometic RevoZip bag awnings are contained in a white case.

Here is a short overview

Revo Zip bag awning: white PW 1100 wall awning: anthracite / white PW 1500 wall awning: anthracite / white

PR 2000 / PR 2500 roof awnings: anthracite / white

High-quality awning fabrics

The Horizon Grey awning fabric we are using for our wall and roof awnings consists of a high-quality vinyl material with a transparent acrylic coating. UV-resistant, rot-proof and washable, it has all it takes for a long life expectancy. The awning is made from a single piece of fabric, so there are no seams that might leak or gather dirt over time.

Our RevoZip bag awnings come with a grey awning fabric featuring an attractive print. The high-quality, colourfast material is $500~{\rm g/m^2}$ weatherproof and fitted with an anti-scratch coating for excellent durability.



Horizon Grey for all Dometic roof and wall awnings



Grey with attractive print for all Dometic bag awnings



AT ONE GLANCE

BAG AWNING

PERFECTWALL AWNINGS



















	700	700 6000	700 6000 6000
Model	REVO ZIP	PW 1100	PW 1500
Length	2.00 – 4.50 m	2.60 – 4.50 m	3.50 – 6.00 m
Extension	1.45 – 2.50 m	2.00 – 2.50 m	2.75 m
Weight	7.3 – 15.9 kg	20 - 32 kg	25 – 48 kg
Case Colour options	White	White / anthracite	White / anthracite /
Fabric Colour options	Grey	Horizon Grey	Horizon Grey
Support legs (integrated in the front rail)	✓	✓	✓
12-volt motor incl. remote control	-	-	✓
Aluminium end caps	-	-	✓
Telescopic crank	-	✓	-
Sun & Rain Protect	-	Accessory	Accessory
LED profile	-	Accessory	Accessory
Tie Down Kit	Scope of delivery	Accessory	Accessory
CampRoom* / PrivacyRoom	Accessory	Accessory	Accessory

PERFECTROOF AWNINGS













PR 2000	PR 2500
2.65 - 4.50 m	3.50 – 6.00 m
2.00 – 2.50 m	2.75 m
19 – 31 kg	27 – 45 kg
White / anthracite	White / anthracite
Horizon Grey	Horizon Grey
✓	✓
-	✓
-	✓
✓	-
Accessory	Accessory
-	-
Accessory	Accessory
Accessory	Accessory





DOMETIC REVO ZIP

Bag awning for caravans and motorhomes

The Dometic Revo Zip bag awning, as the name reveals, is contained in a zipped bag that simply slides into the existing tent rail of your caravan or motorhome. No drilling, no bolting! Your Revo Zip awning can be left permanently attached to the vehicle, freeing up storage space and speeding up set-up. Once fitted, just open the

bag zip, roll out the awning and deploy the two front legs and the two rafters – it's as simple as that. Take down is just as quick. If you are looking for more than just shade, you can upgrade your Revo Zip awning with the perfectly matching Privacy Room.



Attractive printed roof
With anti-scratch film for excellent durability



Strong frameExtra strong, durable, adjustable aluminium frame



Complete packageComplete with guylines and pegs

Benefits of Revo Zip

- Quick and simple installation without drilling simply slides into the tent rail of the caravan or motorhome
- Set-up and take-down in a matter of minutes legs and roof rafters fold out of front rail
- High-quality, durable awning fabric 500 g/m² weatherproof and colourfast with anti-scratch coating
- Extra strong, adjustable aluminium frame
- Frees up interior storage space as the awning stays connected on the outside
- Seven sizes available for caravans and motorhomes with a rail height of up to 280 cm
- Optional accessories: privacy room, sun screen, aluminium support rafters



Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
2.00	1.45	7.3	3.50	2.50	12.9
2.40	1.85	8.9	4.00	2.50	14.1
2.70	2.15	10.2	4.50	2.50	15.9
3.10	2.50	11.4			



Patented easy lock flipper

Secures the support legs in place – no accidental unlocking possible





Colour options

Revo Zip awnings come with a grey fabric and a white housing



PERFECTWALL PW 1100

The smart awning


The sun is beating down and there's no shade in sight? It's drizzling, but you want to enjoy your coffee outdoors? Then it's time for your smart wall awning to enter the scene. The Dometic PerfectWall PW 1100 can be set up (and dismantled) faster, safer and easier than any awning you have seen before. Patented technology – exclusively available from Dometic – makes it happen. No need to bend down or reach up, no hassle whatsoever. Your Dometic PerfectWall gives you unprecedented ease, so you can enjoy the lovely view sooner.

- Easy, ergonomic setup with patented slide-out support legs
- Safe handling redesigned easy flipper locker system secures the support legs
- Space-saving storage of the tension rafter in the leadrail
- Newly designed awning housing without visible screws
- \bullet Lengths from 2.6 to 4.5 m, extensions from 2.0 to 2.5 m $\,$
- High quality, one-piece awning fabric no welding seam
- Telescopic crank
- Wide choice of awning adapters for different types of vehicles



Patented slide-out-supports

or ergonomic setup in upright posture



Patented easy lock flipper

Secures the support legs in place – no accidental unlocking possible



Patented tension rafter

stored away in the front rail after use to save space and avoid damage to the tension rafter

REINVENTION OF A CLASSIC

Dometic PerfectWall PW 1100 awnings come with several patented features for enhanced convenience. The support legs slide out on either side of the shapely housing for easy and ergonomic setup. The Patented easy lock flipper secures them firmly in place. The tension rafter, which gives the fabric extra tension, can be stored in the lead rail after use (4 and 4.5 m).



Slide-out support legs:

Easy setup from the corner of the awning, ergonomic handling without bending or stretching, secure hold also on uneven ground

Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
2.60	2.00	21	4.00	2.50	29.0
3.00	2.50	22.0	4.50	2.50	32.0
3.50	2.50	25.0			



Elegant housing design

Dometic's design language: elegant appearance with clean lines and no visible screws



Telescopic crank

For manual operation of the very smooth running gear





Colour options

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating

AWNINGS



PERFECTWALL PW 1500

Robust electric wall awning – also for very large vehicles


The Dometic PerfectWall PW 1500 comes with a fully integrated 12 V motor, which is conveniently operated by remote control. Supplied in lengths from 3.5 m up to 6.0 m, the robust electric wall awning virtually covers the whole range of vehicles currently available. Regardless of the awning length the same housing is used, which significantly reduces the relative weight of the longer awnings

(> 4.0 m). Details like the 100 % aluminium end caps reveal the high quality standard of the PW 1500 and contribute to a long service life. Thanks to the automatic twisting lead rail, the awning slides out and in easily and quietly. The integrated electric motor features a manual override for emergency operation.



Patented lead rail system

Easy access to the support legs, 100 % tight closing housing



Patented easy lock flipper

Secures the support legs in place – no accidental unlocking possible



Aluminium end caps

Even better resistance to shock, impact and weather. End cap is painted in housing colour

Benefits of PW 1500

- Fully integrated 12 V motor with remote control
- Aluminium end caps, resistant to shock and impact
- Patented locks on both sides of the lead rail for perfect closing
- Support legs with Patented easy lock flipper
- Same housing for all lengths from 3.5 to 6.0 m, available with 2.75 m extension



Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
3.50	2.75	27.0	5.50	2.75*	39.0
4.00	2.75	30.0	6.00	2.75*	48.0
4.50	2.75	33.0			
5.00	2.75	36.0	* with 3 retractable arms		



Remote control

Awning extends and retracts at the touch of a button



Fully integrated motor

Completely integrated, does not extend the housing, 12-volt model with remote control





Colour options

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating

AWNINGS




PERFECTROOF PR 2000


The basic model for roof mounting

Being the flattest roof awning in the market, the Dometic PerfectRoof PR 2000 makes an ideal roof-mount solution for panel vans, smaller motorhomes and caravans. Its compact dimensions and light weight minimise the roof load, so there's still room for other accessories, such as solar panels. Moreover, it comes at a price that puts everything else in the shade, and it still provides all

key Dometic features, e.g. the seamless, high-quality awning fabric. The operation is with a Telescopic crank. The support legs are neatly stored in the lead rail and can be easily folded out by a spring lock. A wide choice of adapters helps to make the awning fit on nearly all types of vehicles.



Optimised designCompact and lightweight housing



Patented easy lock flipper
Secures the support legs in place – no accidental unlocking possible



Telescopic crankFor manual operation of the very smooth running gear

Benefits of PR 2000

- Lightweight and compact dimensions flattest roof awning in the market
- Ideal for panel vans and small caravans
- Support legs with Patented easy lock flipper
- Lengths from 2.65 m up to 4.5 m, extension up to 2.5 m



Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
2.65	2.00	19.0	3.75	2.50	26.0
3.00	2.50	21.5	4.00	2.50	28.0
3.25	2.50	23.0	4.50	2.50	31.0
3.50	2.50	24.5			







Fabric & housing colours

the awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating

AWNINGS



PERFECTROOF PR 2500

High-quality roof awning – light and robust, up to 6 m long

For vehicle lengths of $4.50\,\mathrm{m}$ and beyond there's no lighter and more compact roof awning around than the Dometic PerfectRoof PR 2500. Available in lengths up to $6\,\mathrm{m}$, with an extension of $2.75\,\mathrm{m}$.


Its roof-mounted housing does not affect the vehicle's aerodynamics. End caps made of 100 % aluminium make the awning extra-resistant to shock and impact. Patented locks on both sides of the lead rail

ensure perfect closing as well as additional safety while driving. The fast and smooth running gear is operated with a Telescopic crank, which can easily be adapted to various vehicle heights. The PR 2500 comes with a fully integrated motor (12 V) with manual override for emergency operation.



Optimised design

Compact and lightweight housing



Patented easy lock flipper

Secures the support legs in place – no accidental unlocking possible



Aluminium end caps

Weather-proof, shock-resistant aluminium end caps – paint coated in the colour of the awning housing.

Benefits of PR 2500

- Fully integrated 12 V motor with remote control
- Aluminium end caps, resistant to shock and impact
- Support legs with Patented easy lock flipper
- Lengths from 3.5 m up to 6.0 m with 2.75 m extension



Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
3.50	2.75	27.0	5.00	2.75	36.0
3.75	2.75	28.5	5.50	2.75*	40.0
4.00	2.75	30.0	6.00	2.75*	45.0
4.50	2.75	33.0	* only available with 3 retrac	ctable arms	



Remote control

Awning extends and retracts at the touch of a button



Fully integrated motor

Completely integrated, does not extend the housing, 12-volt model with remote control





Fabric & housing colours

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating

DOMETIC PERFECTROOF PR 2000 CONFIGURATION GUIDE

Complete awning solutions for panel vans







NO.	AWNING LENGTH	REF. NO.	FABRIC	CASE COLOUR	ADAPTER SKU	FOAM STRIP SKU			
PR 2000 D	PR 2000 DUCATO H2								
1.1	3.25 m	9103104434	GRHOR	ANTHRACITE	9103103890	9103104207			
1.2	3.75 m	9103104436	GRHOR	ANTHRACITE	9103103890	9103104207			
1.3	4.0 m	9103104437	GRHOR	ANTHRACITE	9103103890	9103104207			
PR 2000 E	DUCATO WITH SKY ROOF								
2.1	3.25 m	9103104434	GRHOR	ANTHRACITE	9103104378	9103104207			
2.2	3.75 m	9103104436	GRHOR	ANTHRACITE	9103104378	9103104207			
2.4	4.0 m	9103104437	GRHOR	ANTHRACITE	9103104378	9103104207			
PR 2000 E	DUCATO WITH ROOF RAIL								
3.1	3.25 m	9103104434	GRHOR	ANTHRACITE	9103104379	9103104207			
3.2	3.75 m	9103104436	GRHOR	ANTHRACITE	9103104379	9103104207			
3.3	4.0 m	9103104437	GRHOR	ANTHRACITE	9103104379	9103104207			
PR 2000 E	PR 2000 DUCATO HIGH ROOF								
4.1	3.50 m	9103104435	GRHOR	ANTHRACITE	9103104205	9103104207			
4.2	4.0 m	9103104437	GRHOR	ANTHRACITE	9103104205	9103104207			

The table below helps you to configure complete awning solutions for all commonly used panel vans. It gives you a quick overview of all basic components as well as the available accessories.

Simply choose the PR 2000 model in the required length and the adapter to match the vehicle you have. Don't forget to order a set of foam strip rolls for sealing the area between the awning and the vehicle. Once you've completed your basic order, add the required accessories.









TIE DOWN KIT	CAMPROOM FRONT	CAMPROOM SIDES	SUNPROTECT FRONT	SUN PROTECT SIDES	RAIN PROTECT FRONT	RAIN PROTECT SIDES
ACCESSORY						
9103104000	9103103925	9103103940	9103103942	9103103951	9103103955	9103103968
9103104000	9103103927	9103103940	9103103944	9103103951	9103103957	9103103968
9103104000	9103103928	9103103940	9103103945	9103103951	9103103958	9103103968
ACCESSORY						
9103104000	9103103925	9103103940	9103103942	9103103951	9103103955	9103103968
9103104000	9103103927	9103103940	9103103944	9103103951	9103103957	9103103968
9103104000	9103103928	9103103940	9103103945	9103103951	9103103958	9103103968
ACCESSORY						
9103104000	9103103925	9103103940	9103103942	9103103951	9103103955	9103103968
9103104000	9103103927	9103103940	9103103944	9103103951	9103103957	9103103968
9103104000	9103103928	9103103940	9103103945	9103103951	9103103958	9103103968
ACCESSORY						
9103104000	9103103926	9103103940	9103103943	9103103951	9103103956	9103103968
9103104000	9103103928	9103103940	9103103945	9103103951	9103103958	9103103968

CLIMATE

AWNINGS

NO.	AWNING LENGTH	REF. NO.	FABRIC	CASE COLOUR	ADAPTER SKU	FOAM STRIP SKU			
PR 2000	PR 2000 MERCEDES SPRINTER H2								
5.1	3.25 m	9103104434	GR HOR	ANTHRACITE	9103103908	9103104207			
5.2	3.75 m	9103104436	GR HOR	ANTHRACITE	9103103908	9103104207			
5.3	4.0 m	9103104437	GRHOR	ANTHRACITE	9103103908	9103104207			
PR 2000	CRAFTER / MAN TGE RHT								
7.1	3.25 m	9103104434	GRHOR	ANTHRACITE	9103104206	9103104207			
7.2	3.75 m	9103104436	GRHOR	ANTHRACITE	9103104206	9103104207			
7.3	4.0 m	9103104437	GRHOR	ANTHRACITE	9103104206	9103104207			
PR 2000	CRAFTER / MAN TGE LHT								
8.1	3.25 m	9103104434	GR HOR	ANTHRACITE	9103104250	9103104207			
8.2	3.75 m	9103104436	GRHOR	ANTHRACITE	9103104250	9103104207			
8.3	4.0 m	9103104437	GRHOR	ANTHRACITE	9103104250	9103104207			

TIE DOWN KIT	CAMPROOM FRONT	CAMPROOM SIDES	SUNPROTECT FRONT	SUN PROTECT SIDES	RAIN PROTECT FRONT	RAIN PROTECT SIDES
ACCESSORY						
9103104000	9103103925	9103103940	9103103942	9103103951	9103103955	9103103968
9103104000	9103103927	9103103940	9103103944	9103103951	9103103957	9103103968
9103104000	9103103928	9103103940	9103103945	9103103951	9103103958	9103103968
ACCESSORY						
9103104000	9103103925	9103103940	9103103942	9103103951	9103103955	9103103968
9103104000	9103103927	9103103940	9103103944	9103103951	9103103957	9103103968
9103104000	9103103928	9103103940	9103103945	9103103951	9103103958	9103103968
ACCESSORY						
9103104000	9103103925	9103103940	9103103942	9103103951	9103103955	9103103968
9103104000	9103103927	9103103940	9103103944	9103103951	9103103957	9103103968
9103104000	9103103928	9103103940	9103103945	9103103951	9103103958	9103103968

DOMETIC PERFECTWALL PW 1100 CONFIGURATION GUIDE

Complete awning solutions for panel vans







NO.	AWNING LENGTH	REF. NO.	FABRIC	CASE COLOUR	ADAPTER SKU	FOAM STRIP SKU			
PW 1100 T	PW 1100 T6 MULTIVAN / POP ROOF								
9.1	2.6 m	9103104405	GRHOR	ANTHRACITE	9103104118	9103104207			
9.2	3.0 m	9103104406	GRHOR	ANTHRACITE	9103104118	9103104207			
PW 1100 D	UCATO H3								
10.1	3.5 m	9103104407	GRHOR	ANTHRACITE	9103103875	N/R			
10.2	4.0 m	9103104337	GRHOR	ANTHRACITE	9103103875	N/R			
PW 1100 D	UCATO / IVECO DAILY FO	LDABLE ROOF							
11.1	3.0 m	9103104406	GRHOR	ANTHRACITE	9103104263	9103104207			
11.2	3.5 m	9103104407	GRHOR	ANTHRACITE	9103104263	9103104207			
11.3	4.0 m	9103104408	GRHOR	ANTHRACITE	9103104263	9103104207			
11.4	4.5 m	9103104409	GRHOR	ANTHRACITE	9103104263	9103104207			
PW 1100 J	JMPY / EXPERT / PROACE	RHT							
12.1	2.6 m	9103104405	GRHOR	ANTHRACITE	9103104012	9103104207			
12.2	3.0 m	9103104406	GRHOR	ANTHRACITE	9103104012	9103104207			

The table below helps you to configure complete awning solutions for all commonly used panel vans. It gives you a quick overview of all basic components as well as the available accessories.

Simply choose the PW 1100 model in the required length and the adapter to match the vehicle you have. Don't forget to order a set of foam strip rolls for sealing the area between the awning and the vehicle. Once you've completed your basic order, add the required accessories.











TIE DOWN KIT	CAMPROOM FRONT	CAMPROOM SIDES	SUNPROTECT FRONT	SUN PROTECT SIDES	RAIN PROTECT FRONT	RAIN PROTECT SIDES
ACCESSORY						
9103104000	9103103923	9103103933	9103103941	N/A	9103103954	N/A
9103104000	9103103924	9103103934	9103103942	9103103950	9103103955	9103103967
ACCESSORY						
9103104000	9103103926	9103103940	9103103943	9103103951	9103103956	9103103968
9103104000	9103103928	9103103940	9103103945	9103103951	9103103958	9103103968
ACCESSORY						
9103104000	9103103924	9103103940	9103103942	9103103951	9103103955	9103103968
9103104000	9103103926	9103103940	9103103943	9103103951	9103103956	9103103968
9103104000	9103103928	9103103940	9103103945	9103103951	9103103958	9103103968
9103104000	9103103929	9103103940	9103103946	9103103951	9103103959	9103103968
ACCESSORY						
9103104000	9103103923	9103103933	9103103941	N/A	9103103954	N/A
9103104000	9103103924	9103103940	9103103942	9103103951	9103103955	9103103968

AWNINGS

NO.	AWNING LENGTH	REF. NO.	FABRIC	CASE COLOUR	ADAPTER SKU	FOAM STRIP SKU		
PW 1100 J	PW 1100 JUMPY / EXPERT / PROACE LHT							
13.1	2.6 m	9103104405	GRHOR	ANTHRACITE	9103104011	9103104207		
13.2	3.0 m	9103104406	GR HOR	ANTHRACITE	9103104011	9103104207		
PW 1100 VW T6 WITH "C" RAIL CHANNEL								
14.1	2.6 m	9103104405	GR HOR	ANTHRACITE	9103104015	9103104207		
PW 1100 V	/W T6 CALIFORNIA							
15.1	2.6 m	9103104405	GR HOR	ANTHRACITE	9103104020	9103104207		
PW 1100 V	/IVARO TRAFFIC TALENTO	NV300						
17.1	2.6 m	9103104405	GR HOR	ANTHRACITE	9103104103	9103104207		
PW 1100 E	HG DUCATO / BOXER WIT	H EHG POP ROOF						
19.1	3.75 m	9103104408	GR HOR	ANTHRACITE	9600029421	9600049440		

TIE DOWN KIT	CAMPROOM FRONT	CAMPROOM SIDES	SUNPROTECT FRONT	SUN PROTECT SIDES	RAIN PROTECT FRONT	RAIN PROTECT SIDES
ACCESSORY						
9103104000	9103103923	9103103933	9103103941	N/A	9103103954	N/A
9103104000	9103103924	9103103940	9103103942	9103103951	9103103955	9103103968
ACCESSORY						
9103104000	9103103923	9103103933	9103103941	N/A	9103103954	N/A
ACCESSORY						
9103104000	9103103923	9103103933	9103103941	N/A	9103103954	N/A
ACCESSORY						
9103104000	9103103923	9103103933	9103103941	N/A	9103103954	N/A
ACCESSORY						
9103104000	9103103927	9103103940	9103103944	9103103951	9103103957	9103103968

ADDITIONAL PRIVACY AND WEATHER PROTECTION

SunProtect & RainProtect

What do you do when the low sun is glaring in, when heavy rain gets under your awning roof from the front or side, or when you are bothered by passers-by peering in? With our accessory products SunProtect and RainProtect you are well equipped in such situations. Once they have been fitted in place, you can sit back, relax and enjoy the most precious days of the year.

RAINPROTECT

RainProtect is made from a grey, water- and wind-proof PVC material. The front and the side panels are available in different sizes. The front panel is nontransparent, the side panels (also suitable for use left or right) have a panoramic window. They extend down to the ground to provide optimal protection against moisture.



RainProtect front



RainProtect Deluxe side



For awning width (m)	Extension (m)	Ref. No.	Size	For awning extension (m)	Height (m)	Ref. No.
2.60	1.40	9103103954	SMALL	2.50	2.00 – 2.29	9103103967
3.00	1.40	9103103955	MEDIUM	2.50	2.30 - 2.59	9103103968
3.50	1.40	9103103956	LARGE	2.50	2.60 - 2.89	9103103969
3.75	1.40	9103103957	X-LARGE	2.50	2.90 - 3.20	9103103970
4.00	1.40	9103103958				
4.50	1.40	9103103959				
5.00	1.40	9103103960				
5.50	1.40	9103103961				
6.00	1.40	9103103962				



SunProtect is a transparent screen fabric that lets the light through and keeps the heat out. It is available as a front panel or side panel. The front panel has an extension of 1.40 metres and can be supplied for various awning widths. The side panel can be fitted either to the right or left of the awning. There's a matching SunProtect for all Dometic awnings.





SunProtect side



For awning width (m)	Extension (m)	Ref. No.	Size	For awning extension (m)	Height (m)	Ref. No.
2.60	1.40	9103103941	SMALL	2.50	2.00 - 2.29	9103103950
3.00	1.40	9103103942	MEDIUM	2.50	2.30 - 2.59	9103103951
3.50	1.40	9103103943	LARGE	2.50	2.60 - 2.89	9103103952
3.75	1.40	9103103944	X-LARGE	2.50	2.90 - 3.20	9103103953
4.00	1.40	9103103945				
4.50	1.40	9103103946				
5.00	1.40	9103103947				
5.50	1.40	9103103948				
6.00	1.40	9103103949				

AN EXTRA ROOM IN FRONT OF THE VEHICLE

How you create additional "living space"

Do you want to convert your awning into an awning tent to create an extra room that can be used in all weathers? Our accessory range gives you a smart solution that can be set up with little effort by only one person.



FAST SET-UP BY ONLY ONE

Description	Height (m)	Ref. No.	Description	Ref. No.
CampRoom sides PW – Small – Ex 2.5 m	2.00 - 2.28	9103103934	CampRoom front – 2.60 m	9103103923
CampRoom sides PW – Small – Ex 2 m	2.00 - 2.28	9103103933	CampRoom front – 3.00 m	9103103924
CampRoom sides PW – Medium – Ex 2.5 m	2.29 - 2.59	9103103935	CampRoom front – 3.25 m	9103103925
CampRoom sides PW – Medium – Ex 2.75 m	2.00 - 2.59	9103104181	CampRoom front – 3.50 m	9103103926
CampRoom sides PW – Large – Ex 2.5 m	2.30 - 2.59	9103103936	CampRoom front – 3.75 m	9103103927
CampRoom sides PW – X-Large – Ex 2.5 m	2.60 - 2.89	9103103937	CampRoom front – 4.00 m	9103103928
			CampRoom front – 4.50 m	9103103929
CampRoom sides PR – Medium – Ex 2.5 m	2.30 - 2.59	9103103938	CampRoom front – 5.00 m	9103103930
CampRoom sides PR – Large – Ex 2.5 m	2.60 - 2.89	9103103939	CampRoom front – 5.50 m	9103103931
CampRoom sides PR – Ducato – Ex 2.5 m	H2 DUCATO	9103103940	CampRoom front – 6.00 m	9103103932
For Fiat Ducato H2, Peugeot Boxer H2, Citroën Jumper H2, Me	ercedes Sprinter H2 and	l Volkswagen Crafter H2		

CampRoom

If you have opted for a cassette awning with support legs, our CampRoom makes a great awning tent for you. The comfortable extra room in front of your vehicle can be set up in a matter of minutes, by only one person. If you cover the underside of the vehicle with a standard supplied skirt you will get a completely waterproof and wind-breaking living space.

The CampRoom is composed of two packages; one for the front (including the skirt, pegs and ropes) and one for the two side panels (including the clamp profiles, pegs and ropes).



All windows come standard with mosquito screens, roll-up PVC window (outside) and curtains (inside).



The roll-up door is always fitted on the right hand side. Two doors (left and right) are standard for lengths > 4.50 m.



An additional triangle is included with the Ducato version for even better protection.



You can cover the lower side of the vehicle with a standard supplied skirt (keder rail is not included in the set).



The lock of the clamping profile must be turned only a quarter of a turn.



The mast profiles are fitted with rubber seals to to prevent scratching and to make the area entirely waterproof. The height can easily be adjusted.



The side panel is secured to the support legs with Velcro straps and then connected with the front panel.



The cross brace adds stability to the tent.

DOMETIC REVO ZIP PRIVACY ROOM

Looking for more than just shade?

Your Dometic Revo Zip awning can be fitted with a privacy room in a matter of minutes to provide comfortable accommodation away from the elements. The side walls simply zip to the awning roof and can be attached to the vehicle by using the Limpet™ Fix System or upright poles. The front wall slides into the prepared channel on

the awning's front rail and zips to the side walls. The Dometic Revo Zip Privacy Room comes complete with curtains and side doors with mesh panels behind. Suitable for vehicles with a rail height of between 240 and 270 cm.

- Side walls simply zip to the Revo roof
- Front wall slides into channel on the Revo front rail and zips to the side walls
- Side walls can be attached to the vehicle side using the Limpet™ Fix System or by using rear upright poles
- Height of side walls can be varied to suit different height vehicles with a rail height of between 240 -270 cm
- Complete with curtains on easy-slide track
- Zip-out side and front panels
- Side doors with mesh panels behind



Model	Fits to awning model	Weight (kg)	Ref. No.	
240 PRIVACY ROOM	REVO ZIP 240	9.1	9103104329	
270 PRIVACY ROOM	REVO ZIP 270	9.8	9103104330	
310 PRIVACY ROOM	REVO ZIP 310	10.7	9103104331	
350 PRIVACY ROOM	REVO ZIP 350	11.1	9103104332	

Model	Fits to awning model	Weight (kg)	Ref. No.
400 PRIVACY ROOM	REVO ZIP 400	11.5	9103104333
450 PRIVACY ROOM	REVO ZIP 450	11.9	9103104334
Dometic REVO SUPPORT RAFTER	350 – 450	0.5	9103104335

LET THERE BE LIGHT!

Warm summer nights are meant to be spent outdoors. The Dometic LED profile provides you with the correct lighting. Simply install under the awning on the vehicle wall and let there be light for a late night dinner, a get-together round with your friends, reading a good book or whatever you fancy.

Dometic LED profile

The LED profile is available in different lengths. Simply choose the right product to match the length of your awning. Installation requires just a few easy steps. Fix the aluminium profile sections to the underside of the front rail housing, attach the LED strip across the entire length, connect your outdoor light to the 12 V supply. That's it.

- Easy installation under the awning on the vehicle wall
- Perfect angle of illumination thanks to aluminium profile
- Available for all Dometic wall awnings (2.6 6 m long)



IFD	PROFILE	\A/I IITE	1 V

LED RAIL	FULL	IFNGTH	WHITE	5 X

LED RAIL FULL LENGTH, ANODISED, 5 X

Length (m)	Ref. No.	Length (m)	Ref. No.	Length (m)	Ref. No.
2.60	9103104264	2.60	9103104272	2.60	9103104283
3.00	9103104265	3.00	9103104273	3.00	9103104284
3.50	9103104266	3.50	9103104274	3.50	9103104285
4.00	9103104267	4.00	9103104275	4.00	9103104286
4.50	9103104268	4.50	9103104276	4.50	9103104287
5.00	9103104269	5.00	9103104277	5.00	9103104288
5.50	9103104270	5.50	9103104278	5.50	9103104289
6.00	9103104271	6.00	9103104279	6.00	9103104290

AWNINGS



Dometic PW-SJ

Sealing joint for the Dometic PerfectWall awnings. Available in a variety of lengths and widths, this rubber sealing ensures the water-tight attachment of your awning to your RV (for PW 1100, 1500).

PW 1500 sealing joints Small, width 50 mm

3.00 m / Ref. No. 9103103979 3.50 m / Ref. No. 9103103980 4.00 m / Ref. No. 9103103981 30.00 m / Ref. No. 9103103982

PW 1500 sealing joints Large, width 75 mm

3.00 m / Ref. No. 9103103983 3.50 m / Ref. No. 9103103984 4.00 m / Ref. No. 9103103985 30.00 m / Ref. No. 9103103986

PW 1100 sealing joints

4.00 m / Ref. No. 9103104323 6.00 m / Ref. No. 9103104324 30.00 m / Ref. No. 9103104325



Dometic PR-FS

Awning foam strip kit for PR 2000 and PR 2500, 2 x 1.5 m $\,$

- Closes the space between the vehicle and the roof awning to prevent leakage at the door side
- For Dometic PR 2000 or PR 2500 roof awnings
- Optional accessory

Dometic PR Foam Tape, 2×1.5 M, height 10 mm / Ref. No. 9103104391 Dometic PR Foam Tape, 2×1.5 M, height 20 mm / Ref. No. 9103104207 Dometic PR Foam Tape, 2×1.5 M, height 40 mm / Ref. No. 9600049440



Dometic AW-TDKIT

Awning tie down kit

The Dometic AW-TDKIT tie down kit enables you to firmly anchor PerfectWall and PerfectRoof awnings with support legs into the ground. The adjustable straps, robust clasps, and coil springs are perfect for windy days. Easy-to-use and guaranteed secure hold.

- Adjustable straps and robust clasps, just right for windy days
- Easy to use, guarantees firm hold
- Coil springs relieve strain in wind

Ref. No. 9103104000




VEHICLE-SPECIFIC AWNING ADAPTERS


They make Dometic awnings fit on (almost) every recreational vehicle!

Vehicle walls and roofs are, among other things, design elements. They can have different shapes – flat, curved, etc. With a comprehensive range of accessories Dometic ensures that the vehicle and the awning are perfectly coordinated, with impeccable installation results.


Adapter for wall awnings - PW 1100 & PW 1500








3








STANDA	ARD FLAT	EURA	MOBIL	НҮМЕ	R CAMP	HYMER	VAN B2	LAIKA E	COVIP 1
AWNING LENGTH	REF. NO.								
3.00 m	9103103804	3.00 m	9103103813	3.00 m	9103103819	3.00 m	9103103826	4.00 m	9103103832
3.50 m	9103103805	3.50 m	9103103814	3.50 m	9103103820	3.50 m	9103103827	4.50 m	9103103833
4.00 m	9103103806	4.00 m	9103103815	4.00 m	9103103821	4.00 m	9103103828		
4.50 m	9103103807	4.50 m	9103103816	4.50 m	9103103822	4.50 m	9103103829		
5.00 m	9103103808	5.00 m	9103103817	5.00 m	9103103823	5.00 m	9103103830		
5.50 m	9103103809	5.50 m	9103103818	5.50 m	9103103824	5.50 m	9103103831		
6.00 m	9103103810			4 pcs	9103103825				
5 x 0.40 m	9103103811								
5 x 0.75 m	9103103812								

Adapter for wall awnings – PW 1100 & PW 1500












6 7 9 10 11


RAPIDO	7+8+9	BÜRSTNER + H	OBBY SQUARE	DETHLEFFS	GLOBEBUS	CHAUSS	ON ARCA	LAIKA RE	XOSLINE
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
3.00 m	9103103834	3.00 m	9103103839	3.00 m	9103103846	3.00 m	9103103852	4.00 m	9103103855
3.50 m	9103103835	3.50 m	9103103840	3.50 m	9103103847	3.50 m	9103103853	4.50 m	9103103856
4.00 m	9103103836	4.00 m	9103103841	4.00 m	9103103848	4.00 m	9103103854	5.00 m	9103103857
4.50 m	9103103837	4.50 m	9103103842	4.50 m	9103103849			3 pcs	9103103858
4 pcs	9103103838	4 pcs	9103103843	5.00 m	9103103850				






14







12

15

VW CALIFORNIA VIVARO+TRAFIC+TALENTO+NV300

BUERST	NER RND	DUCATO H	2 ROOFRAIL	DUCATO H3 +	· LE VOYAGEUR	VW CAL	IFORNIA	VIVARO+TRAFIC+	-TALENTO+NV300
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
3.00 m	9103103859	3 pcs	9103103868	3.00 m	9103103869	2 pcs	9103104020	2 pcs	9103104103
3.50 m	9103103860			3.50 m	9103103870	5 m	9103103878		
4.00 m	9103103861			4.00 m	9103103871	5.5 m	9103103879		
4.50 m	9103103862			4.50 m	9103103872	6 m	9103103880		
5.00 m	9103103863			5.00 m	9103103873				
5.50 m	9103103864			5.50 m	9103103874				
6.00 m	9103103865			4 pcs	9103103875				
4 pcs	9103103866								

AWNINGS

Adapter for wall awnings - PW 1100 & PW 1500









2	9	

36

37

40

VW T5/T6	MULTIVAN	DUCATO H2 F	OLDABLE ROOF	JUMPY EXP	ERT PROACE	ADAPTER VW T5/T	6 MULTIVAN C-RAIL	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	
2 pcs	9103104118	3.00 m	9103104262	2 pcs LHT	9103104011	2 pcs	9103104356	
		2 pcs	9103104263	2 pcs LHT	9103104012			

Adapter for roof awnings - PR 2000 & PR 2500











16

17

18

20


21


НҮМ	MER SX	LAIKA K	KREOS 05	DUCATO+JUN	IPER+BOXER 1P	CARAV+N	IASTER > 11	CRAFTER <20	17 + SPRINTER
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
4.00 m	9103103876	4.00 m	9103103881	3.25 m	9103103887	3.00 m	9103103893	2.65 m	9103103902
4.50 m	9103103877	4.50 m	9103103882	3.75 m	9103103888	3.25 m	9103104010	3.00 m	9103103903
5.00 m	9103103878	5.00 m	9103103883	4.00 m	9103103889	3.50 m	9103103894	3.50 m	9103103904
5.50 m	9103103879	5.50 m	9103103884	3 pcs	9103103890	3.75 m	9103103895	3.75 m	9103103905
6.00 m	9103103880	6.00 m	9103103885			4.00 m	9103103896	4.00 m	9103103906
		3 pcs	9103103886			4.50 m	9103103897	4.50 m	9103103907
						5.00 m	9103103898	3 pcs	9103103908
						5.5 m	9103103899		
						6.00 m	9103103900		
						3 pcs	9103103901		


Adapter for roof awnings – PR 2000 & PR 2500














MASTER + M	OVANO <2011	LMC+TE	C < 2014	RAPIDO D	ISTINCTION		PR-HOBBY AN 2014	VOLKSWAGEN	CRAFTER 2017
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
3.00 m	9103103909	3.00 m	9103103914	5.00 m	9103104115	3 pcs	9103104203	2 pcs RHT	9103104206
3.50 m	9103103910	3.50 m	9103103915	5.50 m	9103104116			2 pcs LHT	9103104250
3.75 m	9103103911	3.75 m	9103103916						
4.00 m	9103103912	4.00 m	9103103917						
4.50 m	9103103913	4.50 m	9103103918						
5.00 m	9103104173	5.00 m	9103103919						
		5.50 m	9103103920						
		6.00 m	9103103921						
		3 pcs	9103103922						











CARTH	AGO CHIC	DETHLEFF	S CARAVAN	FIAT DU	САТО НЗ		12 WITH Dometic ROOF	FIAT DUCATO	H2 ROOFRACK
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.						
4.00 m	9103104292	3.25 m	9103104360	3 pcs	9103104205	3 pcs	9103104378	3 pcs	9103104379
4.50 m	9103104293	3.0 m	9103104361						
5.00 m	9103104294	3.5 m	9103104362						
5.50 m	9103104295	4 m	9103104363						
		4.5 m	9103104364						
		5.0 m	9103104365						
		5.5 m	9103104366						
		6.0 m	9103104367						
		3pcs	9103104368						

CLIMATE

AWNINGS



Awning adapters in alphabetical order

VEHICLE MODEL	ADAPTER NO.
ADRIA CORAL	3
ADRIA CORAL (S690 SP)	3 7
ADRIA COKAL (3030 3F)	15
ARCA H SERIES	13
ARCA M & P SERIES	10
AUTOSLEEPER VANS	15
BAILEY ROUND	30
BAILEY SQAURE	5
BAVARIA BALTIC	7
BAVARIA FIORD	7
BENIMAR TESSORO	/ 16
BÜRSTNER AVIANO	12
BÜRSTNER ELEGANCE	12
BÜRSTNER IXEO	3
BÜRSTNER NEXXO	3
BÜRSTNER ROUND	12
BÜRSTNER SOLANO	3
BÜRSTNER SQUARE	3
CAMPÉRÊVE LINDBERGH	20
CAMPÉRÊVE NEOVAN	1
CARADO T SERIES	9
CARAVAN ADAPTER	20
CARTHAGO HIGH LINER	39
CARTHAGO C	39
CARTHAGO CHIC	39
CARTHAGO CHIC <2018	17
CARTHAGO CHIC >2018	39
CHALLENGER EDEN	10
CHALLENGER GENESIS	3
CHALLENGER PRIUM	1
CHALLENGER SIRIUS	1
CHAUSSON ALLEGRO	10
CHAUSSON EXALTIS	1

VEHICLE MODEL	ADAPTER NO.
CHAUSSON FLASH	1
CHAUSSON WELCOME	1
CIELLIOT	1
CI MIZAR	1
CI RIVIERA	1
CI SINFONIA	1
CI X-TIL	1
CITROEN CAMPSTER	37
CITROEN CAMPSTER CITROËN JUMPER	18
	• •
CITROEN JUMPER H2	18
CITROEN JUMPER H2 FOLDABLE ROOF	36
CITROEN JUMPER H2 FOLDABLE ROOF	36
CITROEN JUMPER H3	15
CITROEN JUMPY > 2016	37
CONCORDE	1
DETHLEFFS ADVANTAGE	1
DETHLEFFS ESPRIT	1
DETHLEFFS GLOBE 4 & 5	9
DETHLEFFS GLOBETROTTER	1
DETHLEFFS GLOBUS	9
DETHLEFFS MAGIC EDITION	1
DUCATO H2	18
ELNAGH KING	1
ELNAGH MAGNUM	1
ERIBA TOURING 2011	4
ERIBA TOURING ROOF TOP	16
EURA MOBIL	2
EURA MOBIL INTEGRA 670	10
EURA MOBIL INTEGRA STYLE	16
FENDT	23
FIAT DUCATO H2	18
FIAT DUCATO H2 FOLDABLE ROOF	36
FIAT DUCATO H2 ROOFRAIL	14

VEHICLE MODEL	ADAPTER NO.
FIAT DUCATO H3	15
FIAT TALENTO	27
FLORIUM WINCHESTER	10
FONT VENDOME H3	15
FORD NUGGET HIGH ROOF	15
FORD NUGGET WESTFALIA HIGH ROOF	15
FORD TRANSIT H3	15
FORD TRANSIT HIGH MODEL	15
FRANKIA COMFORT	1
FRANKIA HOLIDAY	1
FRANKIA LUXURY	1
FRANKIA PREMIUM	1
GIOTTILINE	23
GIOTTILINE PANEL VAN	23
GIOTTILINE THERRY	1
GLOBECAR GLOBESTAR 600 L	18
GLOBECAR CAMPSCOUT	2
GLOBECAR CAMPSCOUT	18
GLOBECAR CAMPSCOUT B	18
GLOBECAR CAMPSCOUT REVOLUTION	18
GLOBECAR GLOBESCOUT LIMITED	18
GLOBECAR GLOBESCOUT PLUS	18
GLOBECAR GLOBESCOUT R	18
GLOBECAR GLOBESTAR 600 L REVOLUTION	18
GLOBECAR GLOBESTAR 600 W	18
GLOBECAR GLOBESTAR 640 DK	18
GLOBECAR ROADSCOUT	18
GLOBECAR ROADSCOUT R	18
GLOBECAR ROADSCOUT WITH ROOF RAIL	14
GLOBECAR SUMMIT 600	18
GLOBECAR SUMMIT 600 PLUS	18
GLOBECAR SUMMIT 640	18
HOBBY	7



VEHICLE MODEL	ADAPTER NO.
HOBBY CARAVAN > 2014	33
HOBBY MOTORHOME	7
HOBBY VAN	3
HYMER B2	4
HYMER CAMP	3
HYMER EXSIS < 2007	3
HYMER EXSIS > 2007	4
HYMER S	16
HYMER STARLINE	3
HYMER SX	16
HYMER T CLASS	4
HYMER T654 CL 2X2	3
HYMER TRAMP	3
HYMER VAN	4
HYMERMOBIL B CLASS	3
HYMERMOBIL S CLASS	3
ITINEO	1
IVECO DAILY < 2011	22
KARMANN	10
KENTUCKY	1
KNAUS	1
LAIKA ECOVIP 1	5
LAIKA ECOVIP 7	11
LAIKA KREOS 5	17
LAIKA KREOS 9	11
LAIKA REXOSLINE	11
LE VOYAGEUR	15
LE VOYAGEUR PLATINUM	7
LE VOYAGEUR PLATINUM	7
LMC LIBERTY < 2014	23
MAN TGE HIGH ROOF	34
MC LOUIS GLAMYS	1
MC LOUIS LAGAN	3
	-

VEHICLE MODEL	ADAPTER NO
MC LOUIS MC2 & MC4	1
MC LOUIS NEVIS	1
MC LOUIS STEEL	3
MC LOUIS TANDY	1
MERCEDES SPRINTER	21
MILLER MICHIGAN	7
MOBILVETTA	1
MOBILVETTA NAZCA	17
MOOVEO SERIES C	1
MOOVEO SERIES I	1
MOOVEO SERIES P	1
MORELLO	1
NIESMANN BISCHOF	16
NIESMANN BISCHOF MOTORHOME	16
NISSAN INTERSTAR	22
NISSAN NV300 >2016	27
OPEL / VAUXHALL MOVANO > 2011	20
OPEL / VAUXHALL VIVARO B	27
OPEL MOVANO < 2011	22
OPEL ZAFIRA > 2019	37
PEUGEOT BOXER H2	18
PEUGEOT BOXER H2 FOLDABLE ROOF	36
PEUGEOT BOXER H3	15
PEUGEOT EXPERT > 2016	37
PILOTE EXPLORATEUR	7
POSSL ROADCAMP WITH ROOF RAIL	14
RAPIDO 10	3
RAPIDO 7, 8 and 9 models	6
RAPIDO DISTINCTION	28
RENAULT MASTER < 2011	22
RENAULT MASTER > 2011	20
RENAULT TRAFFIC > 2014	27
RIMOR	1

VEHICLE MODEL	ADAPTER NO.
ROLLER TEAM GRANDUC	1
ROLLER TEAM MAGNIFIC	1
ROLLER TEAM PO	1
ROLLER TEAM T-LINE	<u> </u>
SUNLIGHT	
TEC CARAVAN <2014	23
TOYOTA PROACE	37
VW CRAFTER < 2017	21
VW CRAFTER > 2017	34
VW CRAFTER H3 >2017	34
VW T5 / T6 CALIFORNIA	25
VW T5 / T6 MULTIVAN	29
RAPIDO DISTINCTION	28
RENAULT MASTER < 2011	22
RENAULT MASTER > 2011	20
RENAULT TRAFFIC > 2014	27
RIMOR	1
ROLLER TEAM GRANDUC	1
ROLLER TEAM MAGNIFIC	1
ROLLER TEAM PO	1
ROLLER TEAM T-LINE	1
SUNLIGHT	1
TEC CARAVAN < 2014	23
TOYOTA PROACE	37
UNIVERSAL ROOF ADAPTER	24
UNIVERSAL ROOF ADAPTER	24
VW CRAFTER < 2017	21
VW CRAFTER > 2017	34
VW CRAFTER H3 >2017	34
VW T5 / T6 CALIFORNIA	25
VW T5 / T6 MULTIVAN C-RAIL	40
VW T5 / T6 MULTIVAN	29













Even as a kid, when she'd sneak off with her parents' dusty old analog camera, it was clear that Anna Heupel's love of photography would take her beyond the familiar and out into the world. Her passion undimmed, she till gazes through a camera lens with the wide-eyed wonder of a child.

Anna and her boyfriend, Timo, are from Germany. Siegen, not far from Cologne, is both home and an ideal base from which to explore the world. Timo, who works for an industrial company, is a creative spirit "with the hands of a craftsman." Whenever there's a gap in his busy schedule, he tags along with Anna, whose photography and travel blogging constitute a full-time job. "Timo is not only the perfect travel and work companion, but a

pretty accomplished drone pilot too," says Anna with a smile.

Anna's love affair with the nomadic lifestyle began early and grew stronger over time. "I've always been on the lookout for adventure – even if it's just round the corner. To Anna, combining work with travel is a pleasure and a privilege, not to mention a dream come true.

Will the couple stay on the road? "Traveling literally means the world to us," Anna explains. "We've bonded through shared experience – be it a round-the-world trip, like in 2016, or a long weekender in our beloved VW bus." Either way, Anna and Timo are clearly in it for the long haul. As soon as a destination is ticked off the checklist, ideas for new adventures emerge on the horizon. A spectacular four-week road trip – "the ride of a lifetime"

- in a shabby camper van across Australia's west coast inspired them to buy and rebuild their own home on wheels – and then hit the road again. "Nothing, after all, beats the freedom to roam wherever the wind – and work – take you," says Timo.

Plans to criss-cross Scotland in their bus are slowly taking shape. As are trips to similarly exotic locations, including the Philippines, Peru and Bora Bora. This is wonderful news for Anna's thousands of Instagram followers, who can look forward to feasting their eyes on yet another batch of stunning images in the wake of her travels. Anna and Timo appreciate the convenience – and peace of mind – offered by their Dometic products.



instagram.com/annanassaft



THE FULL COMFORT RANGE

View Products:

dometic.com

UNITED KINGDOM Dometic UK LTD.

Dometic House, The Brewery, Blandford St. Mary Dorset DT11 9LS Tel 0344 626 0133

Fax 0344 626 0143 Mail sales@dometic.co.uk

